





From left to right, J7205, Artek J7209, Saga J7210, Dynt J7208, Elmshorn J7211, Solvang J7212, Odense J7206, Halden J7207, Ribe J7203, Dobby J7202, Fjord J7201, Norse J7204, Ekelund

Ready when you are.

Unify™, offers a simplified product assortment that meets a variety of design, performance and budget needs to accommodate tight project schedules. All 12 designs are made in the USA with global and domestic content. This intentionally curated collection includes warm, cheerful tones, influenced by minimalistic Scandinavian design.

American LVT. Shipped Fast.

- Made in the USA no overseas lead-time or tariffs
- 12 LVT designs
- Adhesive options available to complete your project
- Orders up to 2,500 square feet ship within 5 business days
- Orders between 2,501 20,000 square feet ship within 10 business days



J7201, Norse



J7204, Ekelund

Available in 18 in. x 18 in. tiles



J7202, Fjord



J7203, Dobby

2 Unify, Quick Ship Luxury Flooring 3 Unify, Quick Ship Luxury Flooring



J7208, Elmshorn



J7207, Ribe



J7209, Saga



J7208, Elmshorn



Available in 6 in. x 48 in. planks

J7210, Dynt



J7212, Odense



J7211, Solvang

Building Better

We share your commitment to transparency and building a better environment together.

- Low VOC emissions and FloorScore® certified
- Free of ortho-phthalates and heavy metals
- Health Product Declaration (HPD) and third-party certified Environmental Product Declaration (EPD) available
- Made in the USA with global and domestic content





J7205, Artek



Unify™ Quick Ship Collection - Product Information	
Construction	Solid Vinyl Tile (Luxury Vinyl Tile / LVT)
International Specifications	ASTM F1700, Class III, Type B embossed surface
Overall Thickness	0.100 in. (2.5 mm)
Wear Layer Thickness	0.020 in. (0.5 mm)
Factory Finish	Urethane Plus
Installation	Adhesives: S-995, S-1000
Maintenance Options	No Polish - No Buff, Polish Optional
Limited Warranty	15 Year Commercial/30 Year Residential



Products made in the USA with domestic and global content.

Color and visual variation is inherent in all resilient products. Prior to installation, we recommend reviewing multiple tiles.

ArmstrongFlooring¹¹ Walk On. Walk Strong¹

FP7440F10573-521