

HOMERWOOD THE PREMIUM HARDWOOD



Appalachian Hardwood, lovingly handcrafted into the finest American-made hardwood floors — The Essence of HomerWood®. Recalling the age of quality and craftsmanship, we hand select each plank from sustainable, center-cut lumber to reveal the character and unsurpassed beauty created by nature. From these planks we handcraft and custom design exceptional hardwood floors for those who seek style, elegance and individuality. That's why, quite simply, there is no finer choice for your home than a HomerWood Premium hardwood floor.

Our classic to contemporary designs offer truly spectacular floors in a range of beautiful species, colors, styles, textures and surface treatments to suit any personality or lifestyle. Made in America, from American hands and hearts to your home, each plank is a reflection of who we are and the quality of work we do.

That's why you can trust your home to HomerWood.





TRADITIONAL CHARACTER™ ∞

Our Traditional Character floors, handcrafted from desirable center-cut lumber, reveal all of the trees' natural beauty, and preserve the distinctive graining and inherent characteristics created by nature. Featuring both clear and character planks, the result is a stylish, elegant floor.

Your home is an expression of your individual style, a reflection of your unique personality, and when it comes to décor, you simply want the very best. Why settle for anything less, consider HomerWood the perfect choice.





TRADITIONAL CHARACTER™



Black Walnut Natural



Black Walnut Butter Rum



Black Walnut Saddle



Hard Maple Arctic



Hard Maple Natural



Hard Maple Mist



Hard Maple Musk (Matte Finish)

TRADITIONAL CHARACTER™



Hard Maple Graystone (Matte Finish)



Hard Maple Blush



Hard Maple Sugar




Hickory Natural



Hickory Turmeric



Hickory Saddle



Hickory Chinchilla



Hickory Graphite




White Oak Natural



White Oak Butter Rum



White Oak Jamocha



White Oak Espresso

-∞ AMISH HAND-SCRAPED® ⊙-

HomerWood's Amish Hand-Scraped floors offer an exceptionally striking, one-of-a-kind look. A true work of art, each premium plank is uniquely hand-scraped by experienced Amish craftsmen, whose creativity combined with nature assures that no two planks are the same — a highly desirable feature of our hand-scraped floors.

And, as with any artist, each plank proudly bears the signature of the craftsman who created it. Our traditional Amish scrape covers the full surface of the floor and creates a richly textured appearance that is warm and appealing, enhancing every style of décor from classic to contemporary.



→ AMISH HAND-SCRAPED® →



Black Walnut Natural



Black Walnut Butter Rum



Hickory Natural



Hickory Turmeric



Hickory Saddle



Hickory Graphite



White Oak Butter Rum



White Oak Espresso

AMISH SOFT SCRAPED >>>

As with our traditional scrape, local Amish craftsmen expertly hand-scrape each individual plank to create a unique, subtle, timeworn look that is unmatched in its classic beauty, and each plank proudly bears the

signature of the craftsman who created it. The result is a floor of timeless beauty that defines quality, luxury and style, adding warmth to any room.



Black Walnut Natural



Black Walnut Demitasse



Black Walnut Dusky



Hickory Natural



Hickory Turmeric



Hickory Saddle



Hickory Graphite



White Oak Café



→ SMOKED SPECIALTIES[™] →

Our Smoked Specialties floors offer dramatic, rich and alluring visual elements that add design and depth to a room. The natural figuring of the grain is accented by gently flaming the wood,

board by board. The heat from the open flame caramelizes the sugars in the sapwood, creating a shadowed look that can't be imitated. A true work of art, created exclusively by HomerWood.







Hickory Smoked Natural



Hickory Smoked Turmeric



Hickory Smoked Red Saddle



Hickory Smoked Graphite



White Oak Smoked Natural



White Oak Smoked Cinnamon



White Oak Smoked Wassail

← HAND-SCRAPED & SMOKED ←



Hickory Schenna Smoked Natural



Hickory Carbonera Smoked Red Saddle



White Oak Sandstone **Smoked Cinnamon**

← HAND-SCRAPED, WIRE BRUSHED & SMOKED ←



White Oak Sandgate Smoked Cinnamon

WIRE BRUSHE

Texture has long been an important interior design element, as it seduces the eye and adds dimension to a living space. Wire brushing is a subtle texturing technique that enhances the

soft grain, creating a seasoned appearance. The look can be further enhanced with a liming technique that infuses the soft grain and adds a contrasting color.



Black Walnut Natural (White Limed)



Hickory Natural



Hickory Jamocha



White Oak Natural



White Oak Chinchilla

+ WIRE BRUSHED - MIXED 2¼", 3" & 6" WIDTHS +

Distressed wood, and the soft texture of wire brushing, continue to appeal to today's discerning consumers. The varied tones and random patterns capture the essence of vintage

reclaimed floors. These visuals create a unique floor that blends wire brushed texture, distinct color liming and mixed widths.



Hickory Naturally Beautiful (Brown, Grav & White Limed) (Matte Finish)



Hickory Amber Cove (Brown, Grav & White Limed) (Matte Finish)



White Oak Tonal Drift (Black, Grav & White Limed) (Matte Finish)



White Oak Night's Dream (Black, Grav & White Limed) (Matte Finish)



Weathered Oak by HomerWood® are masterful interpretations of color and texture, produced to represent the colors that exposure to the elements

bring to the mighty oak. Subtle color changes from plank to plank, and within each plank give Weathered Oak a timeless aged appearance.



White Oak Natural Weathered White



White Oak Mist Weathered Black



White Oak Natural Weathered Black





KerfKut Flooring by HomerWood® recreates the look of classic floors that were constructed with rough cut planks. The hit and miss saw blade cuts left on the surface compliment the vintage nature

of the Character style Hickory planks. The colors offered in the KerfKut line enhance these unique surface textures and provide attractive options for homeowners and designers.



Hickory Silver



Hickory Smoked Brindle





HomerWood's SoHo Maple Floors are inspired by NYC's "South of Houston" neighborhood, and pay homage to SoHo's artistic community. The natural variation of Hard Maple's heartwood and sapwood

is given an artistic treatment with splashes of lively color selections. This wonderful visual compliments a wide range of décor choices, allowing you to become an artist in your own home.



Hard Maple SoHo White



Hard Maple SoHo Gray



Hard Maple SoHo Red




Hard Maple SoHo Black





The rich elegance of HomerWood's solid, all-American Birch lends an air of distinction to any room, with its fine grain and attractive

satin-like luster. This precisely milled flooring line features a range of designer-inspired colors for the most discerning of homeowners.







White Oak hardwood supplied from the Appalachian region is custom crafted into beautiful long, wide planks that are precisely milled to enhance the overall appearance of your

wood floor. We showcase fashion-forward color choices beneath a durable ultra-matte finish, making these floors an attractive option for both residential and commercial interiors.







Personalizing and designing a space that is truly reflective of one's own tastes and lifestyle are key to making a house your home. If you are unable to find just the right floor within our product portfolio, let HomerWood's unrivaled custom capability turn

your vision into a reality. Use beautiful species, colors, styles, textures and surface treatments as your palette to create handcrafted works of art to suit the style and aesthetic of any space.

CREATE YOUR OWN HARDWOOD ARTISTRY WITH A VARIETY OF OPTIONS



Select Construction - All custom floors are available in both solid and engineered construction.

CONSTRUCTION



Select Textures - Visual elements like texture and artistic treatments add depth and intrigue to any space.

TEXTURE



Select Colors - Your color options are virtually endless. Or select from a versatile palette of curated color choices that answer both classic and contemporary style demands. Optional gloss levels available.

COLOR & GLOSS



Select Species - Feature any combination of texture and color using American wood species with distinct character. A cleaner visual can be achieved with a Prime style floor. 100% filled knots available.

SPECIES



Select Widths - Your choice of widths and lengths in solid and engineered construction.

SOLID | available in widths from 3" - 8" and lengths up to 10'. **ENGINEERED |** available in widths from 3" - 12" and lengths up to 12'.

Visit our website at www.homerwood.com to learn more about our robust custom flooring program.





Enhance your home with the distinction of an engraved plank tailored to your unique personality. Greet guests with entryway planks bearing a family name or meaningful phrase.

Whichever you choose, HomerWood is delighted to assist in authenticating your one-of-a-kind premium hardwood floor.

The Smiths Est. 2017

≒DESIGN PATTERNS ⊨

Bring an element of the unexpected to any room with elegant flooring patterns reminiscent of historic European chateaus. Add dramatic depth to expansive rooms or accentuate entrance

ways with intricate designs. Choose from any of HomerWood's unique surface treatments and an array of luxurious colors to further set your floor apart.





Our trims are expertly matched to coordinate with each hardwood floor for a united look from wall to wall. Our trim and moldings feature colors that stay vibrant and resist wear with a UV-Cured Urethane finish that is more durable

than site finished trim. These flooring accessories can be ordered for any of our standard product lines, including Birch Run™, Aesthetics™ and custom flooring orders.



Lenath: Thickness: 9/16", 5/8", 3/4"

Reducer Strip

A Reducer Strip is used to equalize the level between two different heights in flooring surfaces. Occasionally called a transition, a reducer can be used around fireplaces, doorways, as a room divider, or to transition between wood flooring and adjacent floor coverings that are lower than the surface of the floor.



Length: Thickness: 9/16", 5/8", 3/4"

Stair Nose

A Stair Nose is used to provide a finished trim when transitioning from flooring to the edge of a stair. It can also be used for trim on stair landings and elevated floor perimeters.



Length: Thickness: 3/4", 7/8"

Threshold

A Threshold is used to cover expansion space and provide a smooth transition in surfaces with height differences. A Threshold can be used against sliding track doors, fireplaces, carpet, ceramic tile, or even existing thresholds.



Length: 78" Thickness: 5/8"

T-Molding

A T-Molding is used to cover the expansion space between two equal height flooring surfaces. It can be used at doorways and as a transition to another surface of approximately the same height to allow for more expansion space.



Thickness: 3/4"

Quarter Round

A Quarter Round is used to cover the expansion space between the floor and an adjacent wall. It can be installed next to baseboards, case goods and stair steps.

All trims are made of solid wood and produced in the USA. The trim will be of the same species and have the same texture as the flooring it is being coordinated with. For overall trim dimensions please visit our web page and download our helpful installation guide.

DUT OUR FLOORII



PREMIUM

∞SOLID∞

∞ ENGINEERED ∞

Installation: Nail Down

On and Above Grade

Standard Widths: 3", 4", 5", 6"*

Available in any combination

Standard Lengths: Long, Random, 1' - 7'

3/4" Thickness:

Edge Detail: Prefinished, Four-Sided Micro-Bevel **

Unfinished, Square Edges/Ends

Finish: UV-Cured Urethane with Aluminum Oxide

Satin (Urethane Only) *** Gloss:

Warranty: 50-Year Residential Finish (Urethane Only)

3-Year Commercial Finish (Urethane Only)

Lifetime Structural

Installation: Staple, Glue or Float

On, Above and Below Grade

Long, Random, 1'-8'

Radiant Heat: NWFA Guidelines

3", 4", 5", 6", 7", 8" Standard Widths:

Available in any combination

Thickness: %", Sawn Face

Standard Lengths:

4 mm Wear Layer, Multi-Ply Baltic Birch

Edge Detail: Prefinished, Four-Sided Micro-Bevel **

Unfinished, Four-Sided Micro-Bevel

Finish: **UV-Cured Urethane with Aluminum Oxide**

Satin (Urethane Only) *** Gloss:

Warranty: 50-Year Residential Finish (Urethane Only)

3-Year Commercial Finish (Urethane Only)

Lifetime Structural

* Solid Smoked Products are Available in 3"-5" Widths Only **KerfKut Products are Two-Sided Micro-Bevel / Square Ends ***Specific Products Offered in Matte

SIRCH RUN™



Installation: Nail Down

On and Above Grade

Standard Widths: 3", 4", 5"

Available in any combination

Standard Lengths: Long, Random, 1'-7'

Solid — ¾" Thickness:

Prefinished, Four-Sided Micro-Bevel **Edge Detail:**

Unfinished, Square Edges/Ends

UV-Cured Urethane with Aluminum Oxide

Gloss: Satin (Urethane Only)

50-Year Residential Finish (Urethane Only) Warranty:

3-Year Commercial Finish (Urethane Only)

Lifetime Structural

Installation: Staple, Glue or Float

> On, Above and Below Grade Radiant Heat: NWFA Guidelines

Oak: 7-11/32" Wide; 6' or 7' Lengths

*½ length starter boards may be included in each box

Thickness: %", Sawn Face

Width/Length:

3 mm Wear Layer, 3-Ply Hevea Core

Edge Detail: Prefinished and Unfinished, Two-Sided Mini

Micro-Bevel/Square Ends

UV-Cured Urethane with Aluminum Oxide Finish:

Gloss: Ultra Matte

Warranty: 50-Year Residential Finish

3-Year Commercial Finish

Lifetime Structural

Finish:

ABOUT OUR FLOORING



Our Character Styles 🚐



HomerWood pioneered the word "Character" to describe our use of the entire log to show all the wood's inherent characteristics and natural beauty in our floors. The very fingerprints of nature have been beautifully and reassuringly preserved. These unique naturally occurring characteristics may include an array of open and filled knots, original markings, splits, checking, sap, pith, mineral streaks, color variations, embodied cracks, and variations in grain. The wood's appearance determines its style or grade, and markings may vary with each width. The end result is an elegant floor that reveals all of the trees' natural characteristics.

Our Custom Prime Styles 🚐



Our Prime floors feature natural inherent characteristics, however, we've taken special care to limit the size, amount and frequency. Prime floors highlight select, unique characteristics that are visually modest and give these floors a cleaner appearance overall.

HARDNESS Hardest Hickory 1820 Hard Maple 1450 White Oak 1360 Red Oak 1290 Birch 1260 Black Walnut 1010 Cherry 950 Ranked by Janka Hardness Rating

Our Finishes 👄



Our UV-Cured Urethane with Aluminum Oxide features a proprietary cross-polymer additive that provides superior wear properties. The sealers and topcoat we use are low solvent and low volatile with minimal emissions and do not auto-oxidize. Our finish provides long-lasting beauty with superior clarity that allows the natural beauty of the grain to show through. You can see and feel the difference!

Our UV Oil is a two-coat, factory-applied oil that is cured with UV lights and ready to install. This penetrating Oil finish provides natural beauty with no oily residue that is easy to refresh and repair.

Our Warranty ==



HomerWood offers a Lifetime Structural Warranty on all of our floors. Our UV-Cured Urethane floors carry a 50-year residential finish warranty and a 3-year commercial finish warranty. As our UV-Cured Oil finish is absorbed into the wood, our finish warranties do not apply.

For warranty details, visit homerwood.com.

Our Commitment To The Environment

HomerWood purchases raw material from suppliers who employ only the highest standards in forestry practices, thus assuring the conservation and replenishment of our forests. HomerWood floors are FloorScore® Certified and CARB Phase 2 compliant for formaldehyde, with no added ureaformaldehyde. HomerWood is a zerowaste manufacturer, and all wood fiber from the manufacturing process is utilized, right down to the tiniest particle of sawdust.







HomerWood Disclaimer: Due to printing limitations and natural color variations in raw wood, colors pictured cannot be guaranteed to match actual stained flooring material. In addition, it is impossible to portray the complete array of natural characteristics and color variation that may occur in hardwood and which will make your HomerWood floor truly one-of-a-kind. Room scenes, pictures and hardwood floor samples are intended as a visual guide reference and not as the actual representation of the hardwood floor itself. Since every tree provides us with its own unique natural characteristics, your newly installed floor may vary from samples or pictures shown. Natural color variation in raw material will dictate the final shade of stain. Wood will react to changes in moisture and humidity. In order for your floor to perform properly, indoor humidity should be maintained between 35%-55% year round. We recommend following NWFA guidelines and the use of an NWFA-certified installer.





Cover Image: Our cover features a North American Hard Maple tree typically found in the Appalachian region. Trees that grow in this region are "Slow Growth," which means they are dormant in the winter months, and will only grow up to 12 inches in the spring, summer and fall growing season and therefore take years to come into maturity. HomerWood carefully selects its lumber from only slow-growth trees, as these produce a more stable cut of wood, with beautiful heartwood and a very tight graining pattern.