Luxury Vinyl Tile (LVT) - Commercial

by Armstrong Flooring Inc.

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: OUR LUXURY VINYL TILE CREATES STUNNING FLOORS THAT ARE METICULOUSLY DESIGNED TO LOOK LIKE HARDWOOD OR STONE AND BUILT TO ENDURE THE BUSIEST LIFESTYLES.

Section 1: Summary

CONTENT INVENTORY

+

 Inventory Reporting Format ○ Nested Materials Method ⊙ Basic Method Threshold Disclosed Per ○ Material ⊙ Product 	Threshold Level ○ 100 ppm ⊙ 1,000 ppm ○ Per GHS SDS ○ Per OSHA MSDS ○ Other	Residuals/Impurities Considered Partially Considered Not Considered Explanation(s) provided for		Characterized % weight and role Screened	he Threshold Indicated Are: ○ Yes Ex/SC ⊙ Yes ○No e provided for all substances ○ Yes Ex/SC ⊙ Yes ○No riority Hazard Lists with results
		Residuals/Im ⊙ Yes O No	•	Identified	O Yes Ex/SC ⊙ Yes ONo
				Disclosed by Nam identifier	ne (Specific or Generic) and
				SC = Special Cond	dition (See Notes)
CONTENT IN DESCENDING OF Summary of product contents and against HPD Priority Hazard Lists	d results from screening in			contents: 0	reenScreen [®] BM-4/BM-3
not assess whether using or handling this product will expose individuals to its chemica substances or any health risk. Refer to Section 2 for further details.				-	hest concern GreenScreen [®] r List Translator Score: LT - P1
MATERIAL SUBSTANCE GRE		RES; DI(2 -	Nanomateria as a nanomat	ll: No contents are characterized terial	
ETHYLHEXYL) TEREPHTHALAT		•		Residuals/imp measured and	AND SCREENING NOTES purities are quantitatively d are displayed in the HPD r than 1000 ppm.
VOLATILE ORGANIC COMPOU	IND (VOC) CONTENT		ERTIFICATIO	NS AND COMPLIA	NCE See Section 3 for additional
				s: FloorScore®	
		-		Y WITH OTHER PRO s completed or dise	
Third Party Verified?	PREPARER: Self-Prepare	d		SCREENING DATE:	
	VERIFIER:			PUBLISHED DATE: Not	published on the HPDC repository

 Third Party Verified?
 PREPARER: Self-Prepared
 Screening Date:

 O Yes
 VERIFIER:
 PUBLISHED DATE: Not published on the HPDC repository

 • No
 VERIFICATION #:
 EXPIRY DATE: Not published on the HPDC repository

Health Product Declaration v2.1.1

Basic Method/Product Threshold

created via: toxnot.com

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold
- Basic Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

LUXURY VINYL TILE (LVT)

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Considered RESIDUAL/IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm. OTHER PRODUCT NOTES:

CALCIUM CARBONA	ID: 1317-65-3				
%: 55-60	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Filler	
HAZARD TYPE	AGENCY AND L	IST TITLES	WARNINGS		
None Found	No warnings fo	ound on HPD Pric			
SUBSTANCE NOTES:					

POLYVINYL CHLORIDE				ID: 9002-86-2	
%: 25-35	GS: LT-P1	RC: None	NANO: UNK	ROLE: Binder	
HAZARD TYPE	AGENCY AND	LIST TITLES	WARNINGS		
CAN	MAK		Carc. 4		
RES	AOEC - Asthn	nagens	Rs		
SUBSTANCE NOTES:					

DI(2-ETHYLHEXYL) TEREPH	ID: 6422-86-2			
%: 5-8	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIS	ST TITLES	WARNINGS	
None Found	No warnings found on HPD Priority Lists			
SUBSTANCE NOTES:				

CALCIUM HYDROXIDE (CA)	ОН)2)			ID: 1305-62-0
%: 1-2	GS: LT-P1	RC: None	NANO: UNK	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LI	ST TITLES	WARNINGS	
None Found	No warnings found on HPD Priority Lists			
SUBSTANCE NOTES:				

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	FloorScore®			
CERTIFYING PARTY: Third Part	ISSUE DATE: August 31 2020			
EXPIRY DATE: September 1 2019	CERTIFIER OR LAB: SCS Global Services			
APPLICABLE FACILITIES: All Manufacturing Facilities				
CERTIFICATE URL: https://www.armstrongflooring.com/pdbupimages-flr/220525.pdf				
CERTIFICATE AND COMPLIANCE NOTES:				



This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Adhesives Recommended for Installation

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Full-Spread Adhesives: S-288 Premium, S-240 Epoxy, S-310 Roll Strong™, S-543 High-Moisture

See www.armstrongflooring.com for more information.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information Armstrong Flooring expresses no opinion and makes no representations as to the applicability suitability accuracy or completeness of the declaration form or the standards rules classifications warnings or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong Flooring Inc. ADDRESS: 2500 Columbia Ave Lancaster Pennsylvania 17604 United States of America

РВТ

CONTACT NAME: TechLine TITLE: Customer Service PHONE: 1-888-276-7876 EMAIL: fpotechline@armstrongflooring.com

NF

Not found on Priority Hazard Lists

WEBSITE: www.armstrongflooring.com

Gene mutation

KEY

OSHA N	ISDS Occupational S	Occupational Safety and Health Administration Material Safety Data Sheet					
GHS SDS Globally Harmonized System of Classification and La			of Classification and Labeling of Chemicals Safet	y Data Sheet			
Hazard T	Types						
AQU	Aquatic toxicity	GLO	Global warming	РНҮ	Physical Hazard (reactive)		
CAN	Cancer	MAM	Mammalian/systemic/ organ toxicity	REP	Reproductive toxicity		
DEV	Developmental toxicity	MUL	Multiple hazards	RES	Respiratory sensitization		
END	Endocrine activity	NEU	Neurotoxicity	SKI	Skin sensitization/ Irritation/corrosivity		
EYE	Eye irritation/corrosivity	ozo	Ozone depletion	LAN	Land toxicity		

GreenScreen (GS)

GFN

BM-4	Benchmark-4 (prefer – safer chemical)	LT-P1	List Translator Possible Benchmark 1
BM-3	Benchmark-3 (use but still opportunity for improvement)	LT-1	List Translator Likely Benchmark 1
BM-2	Benchmark-2 (use but search for safer substitutes)	LT-UNK	List Translator Benchmark Unknown (insufficient information
BM-1	Benchmark-1 (avoid – chemical of high concern)		from List Translator lists to benchmark)
BM-U	Benchmark Unspecified (insufficient data to benchmark)	NoGS	Unknown (no data on List Translator Lists)

Persistent Bioaccumulative Toxic

Recycled Types

 PreC
 Preconsumer (Post-Industrial)

 PostC
 Postconsumer

 Both
 Both Preconsumer and Postconsumer

 Unk
 Inclusion of recycled content is unknown

 None
 Does not include recycled content

Other Terms

Inventory Methods:

Nested Method/Material Threshold Substances listed within each material per threshold indicated per material Nested Method/Product Threshold Substances listed within each material per threshold indicated per product Basic Method/Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nanoscale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator M, and when available, full GreenScreen @ assessments. The HPD Open Standard v2.1.1 is not:

-a method for the assessment of exposure or risk associated with product handling or use,

-a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.