

NA532 Avila Oak Provence Clay, NA524 Druid Point Aura Light



Natural Creations[®]
Luxury Flooring

The Right Combination of Performance and Design

Find the perfect harmony of performance and design with Natural Creations®. Our Diamond 10® technology delivers unparalleled durability, resisting scratches, stains, and scuffs. Low-maintenance and built for commercial spaces, it keeps floors looking newer, longer.

Inspired by nature, our collection features wood, stone, concrete, and textile designs that evoke the outdoors. These designs boost well-being, mood, and productivity, making them perfect for education, healthcare, retail, and office settings. Mix and match to create a custom look that reflects your unique style.

 **Diamond 10**
Technology®







NA535
Vineyard Oak, Napa Beige
6 in. x 36 in.



NA533
Oxford White Oak, Nature Harmony
6 in. x 36 in.



NA519
Downeast Oak, Dune Wind
9 in. x 48 in.



NA518
Downeast Oak, Rustle
9 in. x 48 in.



NA180
Galena Oak, Rye
6 in. x 48 in.



NA534
Weathered Arbor, Sunlight Walk
6 in. x 36 in.



NA513
Amarillo White Oak, Russet
6 in. x 48 in.



NA193
Avila Oak, Vienna Smoke
6 in. x 36 in.



NA521
Downeast Oak, Earthbound
9 in. x 48 in.



NA536
Vineyard Oak, Sonoma Brown
6 in. x 36 in.



NA517
Urbino Oak, Fresco
6 in. x 48 in.



NA514
Amarillo White Oak, Auburn
6 in. x 48 in.



NA120
Coastal Crafted, Maritime
9 in. x 48 in.



NA181
Galena Oak, Wheat
6 in. x 48 in.



NA194
Avila Oak, Madrid Grey
6 in. x 36 in.



NA540
Bogart Oak, Chaga
6 in. x 48 in.



NA121
Coastal Crafted, Boardwalk
9 in. x 48 in.



NA553
Weathered Arbor, Driftwood
6 in. x 36 in.



NA538
Ada Oak, Brunette
6 in. x 36 in.



NA537
Weathered Arbor, Lincoln Cabin
6 in. x 36 in.



Warmth and Sophistication, in Every Grain

Experience the warmth and sophistication of nature's finest wood designs. Our luxury floors feature unique and realistic graining and rich, earthy tones – from warm browns to cool grays. The subtle nuances of wood's natural beauty are perfectly captured, bringing a sense of timeless elegance to your commercial space.



NA512
Amarillo White Oak, Jute
6 in. x 48 in.



NA539
Bogart Oak, Harvest
6 in. x 48 in.



NA515
Urbino Oak, Luce
6 in. x 48 in.



NA511
Amarillo White Oak, Carmelo
6 in. x 48 in.



NA520
Downeast Oak, Ember
9 in. x 48 in.



NA516
Urbino Oak, Sienna
6 in. x 48 in.



NA190
Avila Oak, Moroccan Sand
6 in. x 36 in.



NA541
Tellus, Essex
6 in. x 48 in.



NA532
Avila Oak, Provence Clay
6 in. x 36 in.



NA170
Solano Maple, Honeysuckle
6 in. x 36 in.



NA171
Solano Maple, Sweet Sap
6 in. x 36 in.



NA191
Avila Oak, Warm Capri
6 in. x 36 in.



NA225
Tustin Navale, Saddle Rust
6 in. x 36 in.



NA542
Altitude, Handcrafted Nutmeg
9 in. x 48 in.

Earth Inspired Designs for a Unique Space

Nature's beauty is the inspiration behind our stone and concrete designs, which evoke the rugged charm of the earth. Paired with our unique textile visuals, these designs come together to create a truly distinctive look.





NA516 Urbino Oak Sienna, NA534 Weathered Arbor Sunlight Walk, NA544 Tectonic Afternoon Latte, NA547 Petra Siesta



NA525
Druid Point Twist, Shadow
6 in. x 48 in.



NA527
Druid Point Aura, Shadow
12 in. x 24 in.



NA552
Druid Point Prism, Shadow
9 in. x 48 in.



NA551
Druid Point Prism, Light
9 in. x 48 in.



NA548
Petra, Promenade
18 in. x 18 in.



NA524
Druid Point Aura, Light
12 in. x 24 in.



NA549
Tectonic, Evening Walk
18 in. x 18 in.



NA330
Braco, Plaster
12 in. x 24 in.



NA522
Druid Point Twist, Light
6 in. x 48 in.



NA528
Delano, Pearl
6 in. x 48 in. | 12 in. x 24 in.



NA544
Tectonic, Afternoon Latte
18 in. x 18 in.



NA543
Oxidize, Melted Concrete
18 in. x 36 in.



NA547
Petra, Siesta
18 in. x 18 in.



NA529
Delano, Rain
6 in. x 48 in. | 12 in. x 24 in.




NA550
Tectonic, Sandy Coast
18 in. x 18 in.



NA331
Braco, Mortar
12 in. x 24 in.



NA310
Parsa, Irish Cream
18 in. x 36 in.



A Decade Strong: Still Performing at its Best

For over a decade, Diamond 10® technology has set the standard for flooring excellence. By harnessing the power of diamonds, we have created a revolutionary, patented solution that provides ultimate scratch, stain, and scuff resistance.


With Diamond 10, you get the performance and durability you need. Made to stand up to the wear and tear of commercial settings, this low maintenance solution keeps your floors looking newer, longer.



Industry-Leading Protection, Backed by Science

Diamonds are nature's hardest minerals, symbolizing lasting quality. Our Diamond 10 technology harnesses the same resilient properties of natural diamonds. The result yields a protective technology unmatched in performance and durability.

Diamonds outperform all other common competitive flooring finishes on the Mohs scale of mineral hardness, which characterizes the scratch resistance of various materials. **Our technology scores a perfect 10 on the scale!**



Unmatched Durability, Unmatched Performance

Natural Creations with Diamond 10 technology delivers best in category scratch, stain and scuff resistance and reduced maintenance cost over the life of the floor.

Scratch Performance – withstands the rigors of commercial use, including heavy foot traffic, furniture and equipment movement and accidental drops.



Natural Creations



Competitor A



Competitor B



Competitor C

Observe the residue buildup on the brown pads after scratching with a 12.5 lb. load for 20 passes, simulating commercial traffic, revealing the coating being scratched off the surface.


Stain Resistant – resists stains from common commercial settings including Iodine, Betadine, Mustard, Hair Dye, Sharpie, Dry Erase and Red Dye.



Natural Creations



Competitor A



Competitor B



Competitor C


Seeing is believing – after scratching the sample, it was stained, then wiped with a dry paper towel and an alcohol wipe.



NA532 Avila Oak Provence Clay, NA524 Druid Point Aura Light

Built to Last from Top to Bottom

Natural Creations features a robust construction with our durable Diamond 10 coating and sturdy core designed to withstand heavy foot traffic and prevent scratches and dents.



1. Diamond 10® Technology

Patented innovation that uses diamonds to provide category-leading scratch, stain, and scuff resistance from edge-to-edge

2. Rigid Wear Layer

The combination of Diamond 10 technology and the unique rigid wear layer results in enhanced durability and abrasion resistance

3. Realistic Printed Visual

4. Foundation Layer

Eased Edge

Designed to blend seamlessly into the next plank for ease of maintenance and cleanability







Everything You Need to Finish Right

As your single-source provider, Armstrong Flooring® offers a comprehensive range of accessories to complete your project, including installation adhesives, maintenance products, wall base, and weld rods. From start to finish, we have you covered.



30-Year Commercial Limited Warranty

when installed with the recommended Armstrong Flooring adhesive – see warranty for details.

S-319 Roll Strong™ Adhesive

- One coat, rolled on application
- Traffic and rolling loads are allowed on the floor immediately after installation
- Suitable for heavy rolling load traffic
- Solvent free

S-1000 Flooring Adhesive

- High-moisture guarantee up to 100% RH
- Simple one-part system (modified urethane)
- Fast-curing formula with strong, early grab
- Use over porous substrates only
- Ideal for areas with direct sunlight, topical moisture or temperature fluctuations

S-995 Flooring Adhesive

- High-moisture guarantee
- Reduced need for moisture remediation
- Use in areas with concentrated static & dynamic loads
- Includes Underbed Warranty


S-730 Wall Base Adhesive

- No open time – immediate installation
- Easy clean up
- Strong tack (green grab)



Made in USA
with U.S. and global content.

Adhesive	RH Limit	pH Limit	MVER Limit	Spread Rate	Open Time	Working Time	Low Traffic	High Traffic	Shelf Life
S-319	99%	12	12 lbs	300-400 sq. ft. / gal.	15 Min.	4 Hrs	0	0	1 Year
S-995	95%	10	-	220-260 sq. ft. / gal.	10-45 Min.	2 Hrs	24 Hrs	48 Hrs	2 Years
S-1000	100%	14	25 lbs	220-260 sq. ft. / gal.	10-20 Min. Set-in-wet	45 Min	3 Hrs	8 Hrs	1 Year
S-730	-	-	-	220 - 250 lin. ft. / gal. (4 in. base)	0 Min.	15 Min	-	-	1 Year



Complete your project with Wall Base.



Scan to view our complete line of installation, maintenance, and accessories.



FLOOR
Expert

Expert advice: product, installation & maintenance.

Healthcare Flooring Solutions that Care

Our Natural Creations is tailored to meet the unique demands of healthcare spaces, crafting calm and welcoming environments for patients, visitors, and staff. From nurses' stations and lobbies to patient rooms and food service areas, our designs bring the serenity of nature indoors. By incorporating biophilic cues of nature-inspired materials, we create spaces that promote healing, rejuvenation, and comfort.

Plus, our Diamond 10 coating resists stains and withstands heavy-foot traffic, making it perfect for busy healthcare areas with rolling wheelchairs and beds.



NA520 Downeast Oak Ember







Designing the Future of Learning

Transform learning spaces with flooring that inspires. Our wood, stone, concrete, and textile designs bring visual calm and material depth to educational environments, helping schools and universities create settings that nurture growth and discovery.

Natural Creations with Diamond 10 technology provides the durability and versatility needed for multipurpose rooms, helping reduce maintenance costs and ensuring a distraction-free environment that supports student success.



NA540 Bogart Oak Chaga, NA544 Tectonic Afternoon Latte, NA547 Petra Siesta, NA550 Tectonic Sandy Coast

Designs and Performance that Mean Business

From boutiques to mass merchants, retail businesses require a unique blend of prioritizing both design and performance. With Natural Creations with Diamond 10, you always get both.

Designed for your brand with stunning visuals and a warm color palette creating an atmosphere that attracts customers and encourages repeat visits.

Natural Creations holds up to the masses of foot traffic, while relying on industry-leading scratch, stain, and scuff resistance to keep your floors looking newer, longer.



NA534 Weathered Arbor Sunlight Walk, NA537 Weathered Arbor Lincoln Cabin, NA538 Ada Oak Brunette





NA513 Amartillo White Oak Russet, NA522 Druid Point Twist Light, NA540 Bogart Oak Chaga



Neutral Grounds to Innovative Minds

From collaborative meeting rooms to serene meditation spaces, the modern workplace is evolving. Today's office goes beyond traditional workspaces, incorporating amenities like cafeteria and fitness centers that foster well-being and company culture.

Natural Creations with Diamond 10 supports the transforming workplace, delivering high-performance flooring for demanding environments, while promoting well-being with soothing, neutral tones. It is the perfect combination: durable flooring that withstands heavy foot traffic and a calming aesthetic that fosters a sense of serenity.



Rooted in America Built for America

We share your commitment to transparency and building a better environment together.

- Low VOC emissions and FloorScore® certified.
- Free of ortho-phthalates and heavy metals.
- Third-party verified Health Product Declaration (HPD).
- Third-party certified Environmental Product Declaration (EPD).
 - ✓23% lower carbon footprint compared to the industry wide EPD.
- Light Reflectivity Values available – significantly impacts the distribution of natural and artificial lighting, offering energy and cost savings.
- Made in USA with U.S. and global content.
 - ✓reducing transport emissions and environmental impact.





Product Information

Construction - Solid Vinyl Tile (Luxury Vinyl Tile / LVT)

International Specifications - ASTM F1700, Class III,
Type B, embossed surface

Overall Thickness - 3.2 mm / 0.125 in.

Wear Layer Thickness - 20 mil / 0.020 in.

Factory Finish - Diamond 10[®] Technology

Installation - S-319 Roll Strong™, S-995, S-1000, S-730 for Wall Base

Maintenance Options - No Polish – No Buff, Polish Optional

Color and visual variation is inherent in all resilient products. Prior to installation, we recommend reviewing multiple tiles or planks.

ArmstrongFlooring[®]

 Diamond 10
Technology



Visit ArmstrongFlooring.com

for complete Product, Technical,
Adhesives, Installation and
Maintenance recommendations.

Print#: 7440F10609-126

Printed in USA. | The FSC logo is owned by the Forest Stewardship Council. FloorScore is a trademark of the Resilient Floor Covering Institute.
All other trademarks are owned by AHF, LLC. | © 2026 AHF, LLC

