# SAFETY ZONE™ TILE Slip-Retardant Flooring

Our Flooring Recommendation Guide can help you quickly identify products designed to work for these specific spaces and beyond. Partner with your Armstrong Flooring Sales Representative as your trusted resource to help you with all the information you need to successfully select and install the right floor for all types of environments, spaces, and buildings.

• Recommended flooring choice(s) for the space

## **HEALTHCARE/HOSPITAL ENVIRONMENTS (a)**

Cafeteria, Dining Area (d)	•
Chapel	
Commercial Parking Garage Walkways (Covered)	•
Computer Training Rooms (5)	
Corridors	•
Critical/ Intensive Care	
Data Warehousing	
Dialysis (f)	
Dry Physical Therapy	•
Elevators	•
Emergency Rooms	
Exam/Procedure Rooms	
Gift Shop	
Hydro Physical Therapy	• (f)
Hyperbaric Room	(5)
Labor Delivery Rooms	
Laboratories	• (g)
Lavatories	
Lobby	
Nurses Station	
Offices/Administrative/Conference Rooms	
Operating Rooms (b)	(1)
Patient Rooms	
Pharmacy	
Ramps/Ramped Corridors (Dry)	•
Scrub Areas	(1)
Stairways/ Landings	
Staff Lounge	
Telecommunications Center	
Utility/Storage Room/Filing	•
Waiting Rooms	
Around Swimming Pools	
Around Whirlpools/Spas	
	(8)
Showers/Shower Rooms	

## **ASSISTED LIVING**

Activity Rooms/Common Areas	
Beauty Salon/Barber Shop	
Corridors	•
Main Dining Areas (d)	
Doctor/Dentist Office	
Lobby	
Residence Bathrooms (f)	
Residence Kitchens	
Residence Rooms	
Around Swimming Pools	
Around Whirlpools/Spas	
Showers/Shower Rooms	(8)
Exercise Rooms/Yoga, Fitness and Dance Studios	

# **EDUCATION**

•
•
•
•
•
• (f)
• (g)
•
• (f)
•
•
(8)

## **HOSPITALITY**

Commercial Parking Garage Walkways (Covered)	•
Corridors	•
Dance Floors	
Dining Areas (d)	
Elevators	•
Entryways/Foyers (f)	•
Exercise Rooms/ Yoga, Fitness and Dance Studios	
Guest Bathrooms (f)	
Guest Rooms	
Lobby	• (f)
Lounge	
Stairways/Landings	
Vending Areas (f)	•
Around Swimming Pools	
Around Whirlpools/Spas	
Showers/Shower Rooms	(8)

## **RETAIL/STORES**

Automobile Showrooms	
Checkout/Cash Wrap	
Computer Repair Areas	
Entryways/Foyers (f)	•
Fast Food Counters (in Front)	•
Floral Areas	•
Food Service (d)	• (f)
Frozen Food	•
Indoor Mall Common Areas	
Laundromats	•
Pet Shops	•
Produce Area	•
Sales Floor – Department Stores	
Sales Floor – Grocery	
Sales Floor – Mass merchant	

#### **MILITARY HOUSING / LIGHT COMMERCIAL**

Activity Rooms/Common Areas	
Beauty Salon/Barber Shop	
Corridors	•
Daycare Areas	
Dining Areas (d)	
Doctor/Dentist Office	
Residence Bathrooms (f)	
Residence Kitchens	
Residence Rooms/Barracks	
Exercise Rooms/Yoga, Fitness and Dance Studios	
Showers/Shower Rooms	(8)

## **PUBLIC VENUES**

Office/Retail (Airport/Railway/Bus Terminals)	
Office/Meeting Rooms (Civic/Convention Centers)	
Museums/Cultural Centers	

#### **CORPORATE ENVIRONMENTS**

Cafeteria, Dining Area (d)	•
Commercial Parking Garage Walkways (Covered)	•
Computer Repair Areas	
Computer Training Rooms (5)	
Corridors	•
Data Warehousing	
Elevators	•
Entryways/Foyers (f)	•
Lavatories	• (f)
Lobby	
Lunchrooms (d)	
Offices/Conference Rooms	
Stairways/Landings	
Telecommunications Center	
Utility/Storage Rooms	•
Exercise Rooms/Yoga, Fitness and Dance Studios	
Showers/Shower Rooms	(8)

#### LIGHT INDUSTRIAL (e)

Clean Rooms	
Computer Lab Repair Areas	(5)
Computer Training Rooms (5)	
Data Warehousing	
Electronic Testing Lab	(5)
Electronics Manufacturing	(5)
Environmental Conditioning Lab (h)	
Offices/Conference Rooms	
Photo Processing	•
Production Laboratory	• (g)
Research Laboratory	• (g)
Small Parts Assembly	•
Sterile Packaging	
Telecommunications Center	

IN ADDITION TO SPACES LISTED ON THESE CHARTS: Armstrong Flooring commercial products may be used on stair steps, risers, and landings. A manufactured slip-retardant nosing should always be applied on the steps. Most commercial sheet floors can be flash coved (integral cove). Most building codes consider flash coving in the same category as baseboard trim with respect to fire rating. Consult applicable codes for the project to determine the interpretation of allowable height for flash cove; Armstrong Flooring commercial products are not recommended for exterior use, for interior spaces where pointed spike golf or track shoes will be used, or in areas where the floor will be subjected to unusually concentrated static or dynamic loads; Armstrong Flooring commercial products should not be used as wall covering or wall surfacing.

- a) In most cases veterinary applications are similar.
- b) Only operating rooms not requiring conductive flooring.
- c) Only recommended for accents and borders.
- d) Armstrong Flooring products are not recommended for commercial kitchens and commercial food processing areas, including behind fast-food counters.
- e) Most Armstrong Flooring products are not recommended for heavy industrial areas.
- f) No standing water; walk-off mats required.
- g) Not recommended in laboratories that require special decontamination procedures on surfaces, including floors.
- h) Only homogeneous products are recommended in low temperature environmental conditioning units NOT below 34° F.
- 1) Aseptic Area Hygienic conditions are of critical importance.
- 2) Recommended for use without grout.
- 3) Slip Retardance A more secure walking surface is required.
- 4) Surface Unevenness The flooring surface should not interfere with chair or cart movements.
- 5) Not recommended in applications that require electrostatic discharge control.
- 6) Glue down installation.
- 7) Not recommended in areas where free weights are used.
- 8) Water resistance- wet area installation is needed (flash coving, sealed seams).