

Material Safety Data Sheet

Infosafe No™ 1PJ3L Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **NEW BEGINNING**

Classified as hazardous

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name NEW BEGINNING
Product Code N725
Company Name Armstrong World Industries (Australia) Pty. Ltd. (ABN 77 004 747 942)
Address 29-39
Mills Road
Braeside
VIC 3195 Australia
Emergency Tel. (03) 9586 5500
Telephone/Fax Number Tel: (03) 9586 5500
Fax: (03) 9580 4810
Emergency Contact Address Mills Road, Braeside, Victoria 3195
(03) 9586 5500 (Between 8.30am & 5 pm Weekdays)
Recommended Use To remove aged or dirty water based seals, polishes and waxes from vinyl tiles and sheeting.

2. HAZARDS IDENTIFICATION

Hazard Classification Classified as hazardous
HAZARDOUS SUBSTANCE.
DANGEROUS GOODS.

Classified as Hazardous according to criteria of National Occupational Health & Safety Commission, Australia (NOHSC).
Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization Ingredients	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Ethanolamine	141-43-5	1-10 %	Xn, Xi	R20, R36/37/38
	Ethylene glycol butyl ether	111-76-2	1-10 %		
	Industrial Ethanol	64-17-5	1-10 %		
	Ethylene diamine tetra - acetic acid, disodium salt	N/A	0-5 %	T	R10, R23/24/25, R65
	Water		To 100		

4. FIRST AID MEASURES

Inhalation Remove to fresh air. Rinse mouth and nasal passage with water.
Ingestion Do NOT induce vomiting. Give a glass of water and contact a doctor or the Poisons Information Centre on Phone 13 11 26.
Skin Remove contaminated clothing, (launder before re-use) and wash affected area with soap & water.
Eye Hold eyelids open and flood with water for at least 15 minutes & see a Doctor.
Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

Specific Hazards Material is non-flammable but will. No known harmful decomposition products formed. Treat fire for materials actually involved in the fire.
Hazchem Code 2X

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal Spills: Avoid secondary accidents, floors may become slippery. Pick up excess for disposal and rinse residue with water.
Disposal: Consign to chemical dump by licensed chemical waste hauler to be

Material Safety Data Sheet

Infosafe No™ 1PJ3L Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **NEW BEGINNING**

Classified as hazardous

disposed of within local authority laws.

7. HANDLING AND STORAGE

Corrosiveness Corrosive

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards LD50 470mg/Kg for Ethylene glycol butyl ether.
Ethylene glycol ether OSHA standard 50ppm & ACGIH 25ppm.
TLV for Ethanol 1000ppm.

Engineering Controls No special requirements.

Hand Protection Wear impervious gloves while handling or pouring.

Body Protection Wear goggles or safety glasses and protective footwear while pouring or diluting.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid

Appearance Water white liquid of Glycol odour.

Melting Point 105°C

Boiling Point 105°C

Solubility in Water Infinite.

Specific Gravity 0.999 + 0.005

pH Value pH 11.5 - 12.5

Vapour Pressure Not determined.

Flash Point Non flammable.

Flammable Limits - Lower Not applicable.

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

Inhalation Inhalation of concentrated vapour may cause nose, mouth and throat irritation.

Ingestion Can result in nausea, vomiting and stomach pain.

Skin Irritant due to defatting nature of the product. Repeated or prolonged contact may cause dermatitis.

Eye Slight pain, moderate irritation and possible corneal injury.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

14. TRANSPORT INFORMATION

Transport Information Classified as dangerous goods according to transport of dangerous goods (ADG) code.

U.N. Number 1760

Proper Shipping Name CORROSIVE LIQUID, N.O.S.

DG Class 8

Sub.Risk Non allocated.

Hazchem Code 2X

Packaging Method 3.8.8

Packing Group II

Material Safety Data Sheet

infosafe
CS: 1.9.606

Page: 3 of 3

Infosafe No™ 1PJ3L Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **NEW BEGINNING**

Classified as hazardous

Storage and Transport No special transporting requirements. Store away from foodstuffs in a cool area in original sealed container.
EPG Number 8A1
IERG Number 37
IMO Proper Shipping Name Corrosive liquid, N.O.S. (Contain Amine)
UN Number (Road Transport) 1760

15. REGULATORY INFORMATION

Regulatory Information Classified as hazardous
HAZARDOUS SUBSTANCE.
SCHEDULED POISON.

Classified as Hazardous according to criteria of National Occupational Health & Safety Commission, Australia (NOHSC).
Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Poisons Schedule S5

16. OTHER INFORMATION

Technical Contact Point Mills Road, Braeside, Victoria 3195
(03) 9586 5500 (Between 8.30am & 5 pm Weekdays)
Technical Contact Numbers Technical Department
Peerless JAL Pty Ltd
10-12 Raglan St
Preston
VIC 3072
Other Information The information in this MSDS was obtained from sources, which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.