

EXCELON RANGE



PRACTICAL

- Economical
- Modular 305mm x 305mm tile format
- 2.4mm and 3.2mm gauges for varying applications and price points
- Exacting edge finish, uniformity of size and squareness
- Endlessly flexible design opportunities
- Quick to install and traffic, less down time to opening
- Easy to repair

DURABLE

- > 80% natural stone
- Outstanding stability and durability
- Improved surface with excellent dirt resistance

APPLICATIONS


- Retail
- Housing
- Education
- Transport

TECHNICAL DATA	IMPERIAL TEXTURE, STONETEX, TERRAZZ	IMPERIAL TEXTURE
Product Type (EN 654)	Vinyl Tile	Vinyl Tile
Manufactured in	USA	USA
Tile Size (EN 427)	305mm x 305mm	305mm x 305mm
Overall Thickness (EN 428)	3.2mm	2.4mm
M ² /Carton	4.18m ²	4.18m ²
Tiles/Carton	45	45
Slip Resistance (AS 4586): Wet Pendulum Oil-Wet Ramp	Y, P2 R9	Y, P2 R9
Fire Resistance (ISO 9239-1) Critical Radiant Flux (CRF) Smoke Development Rate	> 11kW/m ² < 750% minutes	> 11kW/m ² < 750% minutes
Classification EN 685	Commercial: 33  Industrial: 42 	Commercial: 33  Industrial: 42 

EXCELON RANGE

COMMERCIAL FLOORING

VINYL COMPOSITION TILE



Visit www.armstrongflooring.com.au or contact Customer Service 1800 632 624 for technical data, installation, cleaning and maintenance instructions.

Please note: Recommendations are for guidance only, refer to relevant local, state, and federal construction codes and standards for requirements.


IMPERIAL TEXTURE 3.2mm



FAIRE WHITE



FORTRESS WHITE



MARINA BLUE



COOL WHITE



CAMEL BEIGE



OCEAN WHITE



CLASSIC WHITE



CAFÉ LATTE

IMPERIAL TEXTURE 3.2mm




SOFT WARM GREY



STERLING



BLUE GREY




CHARCOAL




CLASSIC BLACK

TERRAZZ 3.2mm



BIANCO




NEBIA GREY

STONETEX 3.2mm



DESERT DUST



CHALK WHITE



HEMATITE



COAL BLACK

IMPERIAL TEXTURE 2.4mm



FORTRESS WHITE




STERLING



CAFÉ LATTE



SOFT WARM GREY



CHARCOAL



CAMEL BEIGE



FAÏRE WHITE



CLASSIC BLACK