

Verified for LEED Documentation
LEED SUMMARY SHEET

Company Name: Armstrong Flooring
Product Name: Accolade Plus™
Manufacturing Location: Braeside, Victoria, Australia

Prepared on: 5/5/2020

LEED v4.1: BD+C/ID+C

MR Credit. Building Product Disclosure and Optimization: Environmental Product Declarations	Option 1. Environmental Product Declaration	Option 2. Multi-Attribute Optimization
Compliant	Yes	N/A
Credit Contribution	1.5	N/A
Expiration Date	12/20/2024	N/A
EPD ID	EPD-00005	N/A
Docverification ID	4224200316100AFC0001	N/A
MR Credit: Building Product Disclosure and Optimization: Sourcing of Raw Materials	Extended Producer Responsibility	
Compliant	Yes	
Credit Contribution	50% of Cost	
Extended Producer Responsibility	Yes	
Expiration Date	3/16/2023	
Raw Material Sourcing ID	www.armstrongflooring.com/reclaim	
Docverification ID	4224200316112AFC0001	
MR Credit: Building Product Disclosure and Optimization: Material Ingredients	Option 1. Material Ingredient Reporting	Option 2. Material Ingredient Optimization
Compliant	Yes	N/A
Credit Contribution	1.0	N/A
Expiration Date	4/3/2023	N/A
Document Type	HPD	N/A
Material Ingredient ID	N/A	N/A
Docverification IDs	4224200505102AFC0006	N/A
EQ Credit: Low-Emitting Materials		
Compliant VOC Emissions Evaluation	Yes	
Product Category	Flooring	
Product Certificate Type	FloorScore	
VOC Emission Expiration Date	8/31/2020	
VOC Emission Exposure Scenario	School Classroom and Private Office Parameter	
VOC Emission Test Method	CDPH/EHLB Standard Method v1.2-2017	
TVOC Range	Between 0.5 – 5.0 mg/m3	
VOC Content Evaluation Standard or Regulation (Wet Applied only)	N/A	
VOC Content Evaluation Product Type (Wet Applied only)	N/A	
VOC Content (Wet applied only)	N/A	
Low Emitting Material ID	SCS-FS-01336	
Docverification ID	4224200110109AFC0001	

[Reference Documentation](#)
[FloorScore Certification](#)
[Product Specific EPD](#)
[Health Product Declaration](#)

Verified for LEED Documentation
LEED SUMMARY SHEET

Company Name: Armstrong Flooring
Product Name: Accolade Plus™
Manufacturing Location: Braeside, Victoria, Australia

Prepared on: 5/5/2020

LEED v4.1: O+M

MR Credit: Purchasing	Option 1. Ongoing Consumables	Option 2. Building Materials
Compliant	N/A	Yes
Credit Contribution	N/A	100% by cost
Expiration Date	N/A	12/20/2024
Document Type	N/A	EPD
Document ID	N/A	EPD-00005
Docverification ID	N/A	4224200316100AFC0001

Reference Documentation

[Product Specific EPD](#)